

[103] ABOLISH - Multi-Surface APC

Concentrated multi-surface degreaser for automotive use

Product name	Modulus [103] Abolish
Product description	Concentrated Multi-Surface Degreaser for automotive use
Product form	Liquid / Mixture
UFI	SN80-F0DK-U009-VTST
SDS version	1.0
Revision date	17/04/2026
Prepared by	Modulus Group Limited

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier	Modulus [103] Abolish
Product form	Liquid / Mixture
UFI	SN80-F0DK-U009-VTST
Synonyms	Abolish APC; Multi-Surface APC; Concentrated Versatile Degreaser
1.2 Relevant identified uses	Concentrated versatile degreaser for professional automotive use on surfaces ranging from engine bays to interior plastics. This product is a chemical concentrate and must be diluted before use.
Uses advised against	Use only as directed on the product label. Do not mix with other chemicals.
1.3 Supplier	Modulus Group Limited 66 Paul Street London England EC2A 4NA
1.4 Emergency telephone number	07789940713

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture	Skin Irritation, Category 2 Serious Eye Irritation, Category 2
2.2 Label elements	
Hazard pictograms	GHS07 - Exclamation mark
Signal word	WARNING
Hazard statements	H315: Causes skin irritation. H319: Causes serious eye irritation.
Precautionary statements	P102: Keep out of reach of children. P264: Wash hands thoroughly after handling. P280: Wear protective gloves and eye protection. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
2.3 Other hazards	None known.
2.4 Unknown acute toxicity	No data available.

SECTION 3: Composition/information on ingredients

3.1 Substance	Not applicable. This product is a mixture.
---------------	--

3.2 Mixture - hazardous or relevant components

Component	CAS No.	Concentration	Classification
Alcohol Ethoxylate	68439-46-3	5 - 15%	Acute Tox. 4 (Oral), H302; Eye Dam. 1, H318
Butyl Glycol	111-76-2	1 - 10%	Acute Tox. 4 (Oral/Derm/Inh), H302/H312/H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319
Disodium Metasilicate	6834-92-0	1 - 5%	Met. Corr. 1, H290; Skin Corr. 1B, H314; STOT SE 3, H335
Tetrasodium EDTA	64-02-8	0.5 - 2%	Acute Tox. 4 (Oral), H302; Eye Dam. 1, H318
Deionised Water	7732-18-5	Balance	Not Classified

Full text of H-phrases: see Section 16.

SECTION 4: First aid measures

Inhalation	Remove person to fresh air and keep comfortable for breathing.
Skin contact	Wash skin with plenty of water. If skin irritation occurs: get medical advice/attention.
Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: get medical advice/attention.
Ingestion	Rinse mouth. Do NOT induce vomiting. Drink plenty of water. Call a poison centre or doctor if you feel unwell.
Most important symptoms/effects	Skin contact: irritation. Eye contact: eye irritation, redness, pain and blurred vision.

Immediate medical attention / special treatment	Treat symptomatically.
---	------------------------

SECTION 5: Firefighting measures

Suitable extinguishing media	Use extinguishing media appropriate for surrounding fire: water spray, dry powder, foam or carbon dioxide.
Special hazards	The product is non-flammable. In a fire, hazardous decomposition products such as carbon oxides may be released.
Advice for firefighters	Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus and complete protective clothing should be worn.

SECTION 6: Accidental release measures

Personal precautions	Ventilate spillage area. Avoid contact with skin and eyes.
For non-emergency personnel	Evacuate unnecessary personnel and ventilate the area.
For emergency personnel	Do not attempt to take action without suitable protective equipment. See Section 8.
Environmental precautions	Avoid release to the environment.
Containment and clean-up	Stop leak if safe. Contain spills with dikes or absorbents to prevent migration and entry into sewers or streams. Take up liquid spill into absorbent material such as sand, earth or vermiculite. Notify authorities if product enters sewers or public waters.
Reference to other sections	See Section 8 and Section 13.

SECTION 7: Handling and storage

Safe handling	Ensure good ventilation. Avoid contact with skin and eyes. Wear personal protective equipment. Do not eat, drink or smoke when using this product. Always wash hands after handling.
Storage	Store in a well-ventilated place. Keep cool. Keep container closed when not in use.
Incompatible materials	Strong acids. Oxidizing agents.
Specific end use / dilution guidance	This product is a concentrate and must be diluted before use. Engine Bays / Grease: 1:5. Interior Deep Clean: 1:15 to 1:20. Maintenance / Delicate: 1:50.

SECTION 8: Exposure controls/personal protection

Control parameters	2-Butoxyethanol (111-76-2): UK WEL TWA: 25 ppm (123 mg/m ³); STEL: 50 ppm (246 mg/m ³). Can be absorbed through the skin.
Engineering controls	Ensure good ventilation of the work station. Use in a well-ventilated area to manage airborne concentrations below exposure limits.
Eye protection	Wear safety glasses with side shields or goggles when handling the concentrate to protect against splashes.
Hand protection	Wear chemically resistant protective gloves such as nitrile.
Respiratory protection	Not required under normal conditions of use with adequate ventilation.
Protective clothing	Nitrile rubber, PVC or neoprene are recommended for chemical resistance when handling the concentrate.
Environmental exposure controls	Avoid release to the environment. Ensure all spills are contained and cleaned up using absorbent material.

SECTION 9: Physical and chemical properties

Physical state	Liquid
Appearance	Clear liquid upon completion of manufacturing instructions.
Odour	Mild, characteristic chemical odour.
pH	11.0
Evaporation rate	No data available.
Melting point	Not applicable.
Freezing point	Approx. 0 C (32 F).
Boiling point	Approx. 100 C (212 F).
Flash point	Non-flammable.
Other information	Product is a high-concentration alkaline cleaner. Store away from strong acids to prevent exothermic reactions.

SECTION 10: Stability and reactivity

Reactivity	Non-reactive under normal conditions of use and storage.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	No dangerous reactions known under normal conditions of use. May react with strong acids.
Conditions to avoid	None under recommended storage and handling conditions.
Incompatible materials	Strong acids. Strong oxidizing agents.
Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

Acute toxicity	Not classified based on available data.
Skin corrosion/irritation	Causes skin irritation (Category 2).
Serious eye damage/irritation	Causes serious eye irritation (Category 2).
Sensitisation	Not classified.
Mutagenicity / carcinogenicity / reproductive toxicity	Not classified.
STOT / aspiration hazard	Not classified.
Symptoms	Skin contact: irritation, redness or dryness. Eye contact: irritation, redness, pain and blurred vision. Ingestion may cause gastrointestinal irritation, nausea and vomiting.

SECTION 12: Ecological information

Toxicity	The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment when used as directed.
Persistence and degradability	The surfactants contained in this preparation comply with the biodegradability criteria laid down in Regulation (EC) No. 648/2004 on detergents.
Bioaccumulative potential	No bioaccumulative potential expected.
Mobility in soil	Completely miscible in water.
Other adverse effects	Avoid release to the environment.

SECTION 13: Disposal considerations

Waste treatment methods	Dispose of contents/container in accordance with local, regional, national and international regulations. Avoid release to the environment. Even small amounts of concentrate should be disposed of responsibly; empty containers should be rinsed before recycling.
-------------------------	--

SECTION 14: Transport information

UN number	Not applicable.
Proper shipping name	Not applicable.
Transport hazard class	Not applicable.
Packing group	Not applicable.
Transport status	Not classified as dangerous goods for transport.

SECTION 15: Regulatory information

Regulatory information	TSCA Section 12(b) Export Notification: Not regulated. SARA Section 311/312 Hazard Classes: Health hazard - Skin corrosion or irritation; Serious eye damage or eye irritation. California Proposition 65: This product does not contain substances known to the State of California to cause cancer, developmental and/or reproductive harm.
------------------------	---

SECTION 16: Other information

Revision date	17/04/2026
UFI	SN80-F0DK-U009-VTST
Dilution guidance	Engine Bays / Grease: 1:5. Interior Deep Clean: 1:15 to 1:20. Maintenance / Delicate: 1:50.
Full H phrases	H315: Causes skin irritation. H319: Causes serious eye irritation.

Disclaimer: This information is based on current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not be construed as guaranteeing any specific property of the product.